

MALLOPHAGA FROM BIRDS OF NORTH AMERICA

BY RICHARD O. MALCOMSON

SIXTY years have elapsed since a list of Mallophaga with their hosts was made (Kellogg, 1899. Smithsonian Institution Bull. XII:39-100). During this time many new species have been described and new genera have been erected.

The purpose of this paper is to stimulate interest among biologists, including the bird banders, to study the parasites of birds. Almost all birds have parasites, and the bander has a good opportunity to take these without killing the birds, as was done in the past. I would suggest that the bander obtain official sanction (on his banding permit) to carry on this work. He can take these parasites by a very simple delousing process as follows:

Procure an insecticidal powder, pyrethrum for example, a few sheets of white paper and a paper carton. After the bird has been banded, thoroughly dust some of the powder through the feathers, but be careful not to get any powder into the eyes of the birds. Now place the bird on a sheet of white paper and invert the paper carton over it. Allow the bird to flutter around in this enclosure for about five minutes. In the meantime the parasites will have crawled to the tips of the feathers and dropped to the paper. Some of the lice will show movement, but all can be picked up by a small camel hair brush and transferred to a piece of medicinal cotton.

If the bander is not interested in collecting and identifying these parasites for himself, he may record on a slip of paper, the name of the bird, date, place taken and his name as collector. The piece of cotton containing label and specimens may be dropped into an envelope and mailed to some mallophagologist.

The cotton method is the most convenient way to send specimens by mail. On the other hand, if the bander is interested in collecting and identifying his own material, he should put the specimens taken from each bird into separate small vials containing 70 per cent alcohol, to preserve them for some future time. A small slip of paper containing the collector's name, name of the bird, date and place taken should be inserted in the vial. Labels printed with soft lead pencil will be legible indefinitely in 70 per cent alcohol.

To identify the material collected requires a definite process of mounting on microscope slides. Good results may be obtained by the following method:

1. Transfer contents of each vial to a vial of 20 per cent potassium hydroxide for a period of 24 to 48 hours, depending upon the degree of scleritization of the lice.
2. Wash in distilled water 30 minutes.
3. Dehydrate with 35 per cent alcohol for 10 minutes.
4. Place in 50 per cent alcohol for 10 minutes.
5. Place in 70 per cent alcohol for 10 minutes.

6. Place in 85 per cent alcohol plus 15 per cent benzol for 10 minutes.
7. Place in 95 per cent alcohol plus 50 per cent benzol for 10 minutes.
8. Place in absolute alcohol plus 75 per cent benzol for 10 minutes.
9. Place in 100 per cent benzol for 5 minutes.
10. Mount in euparal or a medium with benzol base.
11. Mount in center of slide and cover with 18 mm. round cover slip.

There are more than 2600 recorded species of living Mallophaga, and this paper lists 800 of these species and about 500 species of birds from which they are recorded. I have not recorded any subspecies of Mallophaga. This list of about 800 species probably represents about one fourth of the species yet to be described.

In this paper the birds are listed phylogenetically. Under each bird is listed the scientific names of the Mallophaga known to infest it, as described in the literature of Systematic Entomology. I have followed very closely the classification of Hopkins and Clay in, "A Check List of the Genera and Species of Mallophaga" (1952. British Museum, London).

ACKNOWLEDGMENTS

I appreciate the helpful suggestions and the exchange of literature from G. H. E. Hopkins and Theresa Clay of the British Museum. My thanks are also extended to Dr. Lowell Taylor, of the Dow Chemical Company Research Library, Midland, Michigan, for courtesies extended in this work. To my wife Sibyl I am indebted for successfully encouraging me to complete this work.

HOST LIST WITH PARASITES

Great Tinamou, <i>Tinamus major</i>	<i>Austrokelloggia boucardi</i>
<i>Kelloggia brevipes</i>	<i>Discocorpus furculus</i>
<i>Heptapsogaster minutus</i>	<i>Heptapsogaster boucardi</i>
<i>H. parvulus</i>	<i>H. modestae</i>
<i>Megaginius quadrithorax</i>	<i>H. tuxtlae</i>
<i>Menacanthus laticephalus</i>	<i>Megapeostus multiplex</i>
<i>Ornicolax alienus</i>	<i>Pectenosoma boucardi</i>
<i>O. mexicanus</i>	<i>Pseudolipeurus similis</i>
<i>O. robustus</i>	<i>Rhopaloceras heterogenitalis</i>
<i>Pseudolipeurus tinami</i>	<i>Strongylocotes boucardi</i>
<i>Pterocotes aberrans</i>	Rufescent Tinamou, <i>Crypturellus cinnamomeus</i>
<i>Rhopaloceras simplex</i>	<i>Heptapsogaster acutiventris</i>
<i>Strongylocotes pellucidifrons</i>	<i>Heterognoides araeceps</i>
Little Tinamou, <i>Crypturellus soui</i>	<i>Megapeostus secundus</i>
<i>Heptapsogaster costaricensis</i>	<i>Pectenosoma cinnamomea</i>
<i>H. tapicollae</i>	<i>Strongylocotes fimbriatus</i>
<i>Megaginius laticlypeus</i>	<i>S. interruptus</i>
<i>Pectenosoma meserythra</i>	Bonaparte's Tinamou, <i>Nothocercus bona-</i>
<i>Physconella kelloggi</i>	<i>partei</i>
<i>Rhopaloceras rudimentarius</i>	<i>Nothocotus distinctus</i>
Slaty-breasted Tinamou, <i>Crypturellus bou-</i>	<i>N. parvithorax</i>
<i>cardi</i>	

- Common Loon, *Gavia immer*
Craspedonirmus bisetosus
- Arctic Loon, *Gavia arctica*
Craspedonirmus atricolor
C. columbinus
C. frontatus
- Red-throated Loon, *Gavia stellata*
Craspedonirmus columbinus
C. frontatus
- Horned Grebe, *Podiceps auritus*
Aquanirmus columbinus
- Eared Grebe, *Podiceps caspicus*
Aquanirmus americanus
Incidifrons fulicae
Laemobothrion simili
Pseudomenopon insolens
- Western Grebe, *Aechmophorus occidentalis*
Pseudomenopon par
- Pied-billed Grebe, *Podilymbus podiceps*
Aquanirmus americanus
- Short-tailed Albatross, *Diomedea albatrus*
Docophoroides brevis
D. pacificus
Harrisoniella densa
Perineus concinnus
P. gigantica
Procellariphaga navigans
P. pinquis
- Black-footed Albatross, *Diomedea nigripes*
Docophoroides ferrisi
Epibates machilhennyi
Perineus confidens
- Black-browed Albatross, *Diomedea melanophrys*
Docophoroides harrisoni
D. murphyi
D. simplex
- White-capped Albatross, *Diomedea cauta*
Docophoroides brevis
- Yellow-nosed Albatross, *Diomedea chlororhynchos*
Docophoroides murphyi
- Cape Petrel, *Daption capensis*
Ancistriona procellariae
Naubates testaceus
Procellariphaga daptionis
Pseudonirmus gurlti
- Fulmar, *Fulmarus glacialis*
Ancistriona vagelli
- Perineus *nigrolimbatus*
Austromenopon brevijimbiata
Saemundssonia occidentalis
- Black-tailed Shearwater, *Adamastor cinereus*
Halipeurus agusticeps
- Cory's Shearwater, *Puffinus diomedea*
Saemundssonia peusi
- Pink-footed Shearwater, *Puffinus creatopus*
Naubates major
- Greater Shearwater, *Puffinus gravis*
Halipeurus abnormis
Naubates harrisoni
- Wedge-tailed Shearwater, *Puffinus pacificus*
Clypedon pacificus
Longimenopon puffinus
- Sooty Shearwater, *Puffinus griseus*
Halipeurus diversus
Procellariphaga paulula
- Manx Shearwater, *Puffinus puffinus*
Naubates major
Saemundssonia valida
Trabeculus aviator
T. mirabilis
- Audubon's Shearwater, *Puffinus lherminieri*
Clypedon pacificus
Procellariphaga narboroughi
- Fork-tailed Petrel, *Oceanodroma fuscata*
Philoceanus annuliventris
- Leach's Petrel, *Oceanodroma leucorhoa*
Acidoproctus kelloggi
Halipeurus subangusticeps
Saemundssonia incisa
- Guadalupe Petrel, *Oceanodroma macrodactyla*
Longimenopon dominicanum
- Red-billed Tropic-bird, *Phaethon aethereus*
Austromenopon beckii
Saemundssonia breviantennata
S. phaetona
- Red-tailed Tropic-bird, *Phaethon rubricauda*
Saemundssonia hexagona
- White Pelican, *Pelecanus erythrorhynchos*
Colpocephalum unciferum
Piagetiella peralis
- Brown Pelican, *Pelecanus occidentalis*
Colpocephalum unciferum
Pectinopygus occidentalis

<i>Piagetiella bursaepelecani</i>	<i>Ardeicola stellaris</i>
Blue-faced Booby, <i>Sula dactylatra</i>	American Bittern, <i>Botaurus lentiginosus</i>
<i>Pectinopygus jamaicensis</i>	<i>Ardeicola stellaris</i>
Blue-footed Booby, <i>Sula nebouxii</i>	Wood Ibis, <i>Mycteria americana</i>
<i>Pectinopygus minor</i>	<i>Ardeicola loculater</i>
Brown Booby, <i>Sula leucogaster</i>	<i>Ciconiphilus maculipes</i>
<i>Pectinopygus annulatus</i>	<i>C. femoratus</i>
<i>P. garbei</i>	<i>Colpocephalum scalariforme</i>
Red-footed Booby, <i>Sula sula</i>	<i>Neophilopterus heteropygus</i>
<i>Pectinopygus sularum</i>	Glossy Ibis, <i>Plegadis falcinellus</i>
Gannet, <i>Morus bassanus</i>	<i>Ardeicola raphidius</i>
<i>Eidmanniella pustulosa</i>	<i>Ciconiphilus blagoweschenskii</i>
<i>Pectinopygus bassani</i>	<i>Colpocephalum leptopygos</i>
Great Cormorant, <i>Phalacrocorax carbo</i>	<i>Ibidoces bisignatus</i>
<i>Eidmanniella brevipalpis</i>	<i>I. robustus</i>
<i>Pectinopygus gyricornis</i>	<i>Plegadiphilus plegadis</i>
Double-crested Cormorant, <i>Phalacrocorax auritus</i>	White Ibis, <i>Eudocimus albus</i>
<i>Eidmanniella kuwani</i>	<i>Colpocephalum fusconigrum</i>
<i>Pectinopygus gyricornis</i>	<i>Ibidoces bimaculatus</i>
<i>Piagetiella incomposita</i>	Scarlet Ibis, <i>Eudocimus ruber</i>
Olivaceous Cormorant, <i>Phalacrocorax olivaceus</i>	<i>Ardeicola gracilentus</i>
<i>Eidmanniella eurygaster</i>	<i>Ibidoces hians</i>
<i>Pectinopygus faralloni</i>	White Spoonbill, <i>Platalea leucorodia</i>
<i>P. gyroceras</i>	<i>Eucolpocephalum femorale</i>
<i>Piagetiella vigua</i>	<i>Ibidoces plataleae</i>
Brandt's Cormorant, <i>Phalacrocorax penicillatus</i>	Roseate Spoonbill, <i>Ajaia ajaja</i>
<i>Eidmanniella kuwani</i>	<i>Colpocephalum ajajae</i>
<i>Piagetiella incomposita</i>	<i>Ibidoces iberoamericanus</i>
Anhinga, <i>Anhinga anhinga</i>	American Flamingo, <i>Phoenicopterus ruber</i>
<i>Pectinopygus anhinge</i>	<i>Anaticola candidus</i>
Magnificent Frigate-bird, <i>Fregata magnificens</i>	Mute Swan, <i>Cygnus olor</i>
<i>Pectinopygus crenatus</i>	<i>Ornithobius cygni</i>
Gray Heron, <i>Ardea cinerea</i>	Whooper Swan, <i>Olor cygnus</i>
<i>Ardeicola ciconiae</i>	<i>Anatoecus musicus</i>
<i>A. ardeae</i>	Whistling Swan, <i>Olor columbianus</i>
<i>Ciconiphilus decimfasciatus</i>	<i>Ornithobius cygni</i>
Common Egret, <i>Casmerodius albus</i>	Canada Goose, <i>Branta canadensis</i>
<i>Ardeicola albulus</i>	<i>Ornithobius goniopleurus</i>
<i>Ciconiphilus obscurus</i>	<i>Trinoton anserium</i>
Little Egret, <i>Egretta garzetta</i>	Brant, <i>Branta bernicla</i>
<i>Ardeicola expallidus</i>	<i>Anaticola crassicornis</i>
Black-crowned Night Heron, <i>Nycticorax nycticorax</i>	<i>Anatoecus dentatus</i>
<i>Ciconiphilus nyctardis</i>	Barnacle Goose, <i>Branta leucopsis</i>
Least Bittern, <i>Ixobrychus exilis</i>	<i>Anatoecus brunneopygus</i>
	<i>Ornithobius hexopthalmus</i>
	White-fronted Goose, <i>Anser albifrons</i>
	<i>Anaticola brevimaculatus</i>
	<i>A. serratus</i>
	<i>Trinoton squalidum</i>

- Domestic Goose, *Anser a. domesticus*
Anaticola anseris
Anatoecus adustus
Ciconiphilus parvus
C. pectiniventrus
Ornithobius mathisi
Trinoton anserium
T. squalidum
 Black-bellied Tree Duck, *Dendrocygna autumnalis*
Acidoproctus hopkinsi
 Fulvous Tree Duck, *Dendrocygna bicolor*
Anaticola chaetodens
 West Indian Tree Duck, *Dendrocygna arborea*
Acidoproctus maximus
 White-faced Whistling Duck, *Dendrocygna viduata*
Acidoproctus rostratus
 Sheld-Duck, *Tadorna tadorna*
Anaticola tadornae
Colpocephalum quadriseriatum
 Mallard, *Anas platyrhynchos*
Anaticola crassicornis
A. parviceps
A. zukeri
Anatoecus adustus
Holomenopon transvaalense
Trinoton querquedulae
 Black Duck, *Anas rubripes*
Anaticola crassicornis
Anatoecus dentatus
Trinoton lituratum
T. querquedulae
 Gadwall, *Anas strepera*
Anaticola depurcatus
Anatoecus dentatus
Trinoton querquedulae
 Pintail, *Anas acuta*
Holomenopon clypeilargum
Trinoton luridum
 Common Teal, *Anas crecca*
Anaticola sordidus
Holomenopon leucoxanthum
 Green-winged Teal, *Anas carolinensis*
Anatoecus dentatus
 Blue-winged Teal, *Anas discors*
Anatoecus dentatus
 European Widgeon, *Mareca penelope*
Anaticola penelopes
Holomenopon marecae
Trinoton spinosum
 American Widgeon, *Mareca americana*
Anaticola crassicornis
Trinoton luridum
T. querquedulae
 Shoveler, *Spatula clypeata*
Anaticola hopkinsi
Anatoecus ferrugineus
Holomenopon steigerum
Trinoton squalidum
 Wood Duck, *Aix sponsa*
Anaticola lepidotus
Anatoecus dentatus
 Redhead, *Aythya americana*
Anatoecus dentatus
 Common Pochard, *Aythya ferina*
Anatoecus difficilis
 Canvasback, *Aythya valisineria*
Acidoproctus kelloggi
 Greater Scaup, *Aythya marila*
Anatoecus dentatus
 Lesser Scaup, *Aythya affinis*
Anaticola cornicephalus
Anatoecus dentatus
Trinoton querquedulae
 Tufted Duck, *Aythya fuligula*
Anatoecus obtusus
 Barrow's Goldeneye, *Bucephala islandica*
Anaticola clangulae
 Bufflehead, *Bucephala albeola*
Anaticola crassicornis
Anatoecus dentatus
 Oldsquaw, *Clangula hyemalis*
Anaticola crassicornis
Anatoecus clangulus
A. natatorum
 Common Eider, *Somateria mollissima*
Anaticola rubromaculatus
 King Eider, *Somateria spectabilis*
Anatoecus dentatus
A. obtusus
 Muscovy Duck, *Cairina moschata*
Anaticola cairinensis
A. zunkeri
Holomenopon cairinæ
H. transvaalensis
 Velvet Scoter, *Melanitta fusca*

<i>Anaticola punctulatus</i>	<i>D. temporalis</i>
<i>Anatoecus natatorum</i>	Bicolored Hawk, <i>Accipiter bicolor</i>
<i>Anaticus roesleri</i>	<i>Degeeriella epustulata</i>
White-winged Scoter, <i>Melanitta deglandi</i>	Cooper's Hawk, <i>Accipiter cooperii</i>
<i>Anaticola constrictus</i>	<i>Craspedorrhynchus dilatatus</i>
<i>Holomenopon loomisi</i>	<i>Degeeriella fusca</i>
Surf Scoter, <i>Melanitta perspicillata</i>	Red-tailed Hawk, <i>Buteo jamaicensis</i>
<i>Anaticola constrictus</i>	<i>Colpocephalum napiforme</i>
Common Scoter, <i>Oidemia nigra</i>	<i>Craspedorrhynchus dilatatus</i>
<i>Anaticola augustolimbatus</i>	<i>Laemobothrion loomisi</i>
<i>Holomenopon lunarium</i>	Red-shouldered Hawk, <i>Buteo lineatus</i>
<i>Trinoton minus</i>	<i>Craspedorrhynchus buteonis</i>
Ruddy Duck, <i>Oxyura jamaicensis</i>	Broad-winged Hawk, <i>Buteo platypterus</i>
<i>Anaticola crassicornis</i>	<i>Kurodaia macrocybe</i>
Hooded Merganser, <i>Lophodytes cucullatus</i>	Swainson's Hawk, <i>Buteo swainsoni</i>
<i>Anatoecus dentatus</i>	<i>Colpocephalum costaricense</i>
Common Merganser, <i>Mergus merganser</i>	<i>Laemobothrion buteonivorum</i>
<i>Anaticola crassicornis</i>	Rough-legged Hawk, <i>Buteo lagopus</i>
<i>Anatoecus dentatus</i>	<i>Craspedorrhynchus dilatatus</i>
<i>A. ferrugineus</i>	White Hawk, <i>Leucopternis albicollis</i>
<i>Trinoton querquedulae</i>	<i>Craspedorrhynchus candidus</i>
Red-breasted Merganser, <i>Mergus serrator</i>	Golden Eagle, <i>Aquila chrysaëtos</i>
<i>Anaticola crassicornis</i>	<i>Colpocephalum impressum</i>
<i>A. mergiserrati</i>	<i>Craspedorrhynchus aquilinus</i>
<i>Anatoecus icterodes</i>	<i>Degeeriella fulva</i>
<i>Trinoton mergi</i>	<i>Falcolipeurus auturalis</i>
<i>T. querquedulae</i>	Gray Sea Eagle, <i>Haliaeetus albicilla</i>
Turkey Vulture, <i>Cathartes aura</i>	<i>Colpocephalum flavescens</i>
<i>Laemobothrion canadense</i>	<i>Craspedorrhynchus macrocephalus</i>
<i>Colpocephalum kelloggi</i>	<i>Degeeriella discocephalus</i>
<i>Cuculiphilus alternatus</i>	<i>Falcolipeurus sulcifrons</i>
<i>Falcolipeurus marginalis</i>	Bald Eagle, <i>Haliaeetus leucocephalus</i>
Black Vulture, <i>Coragyps atratus</i>	<i>Craspedorrhynchus halieti</i>
<i>Falcolipeurus marginalis</i>	<i>Degeeriella amblyx</i>
King Vulture, <i>Sarcoramphus papa</i>	Marsh Hawk, <i>Circus cyaneus</i>
<i>Colpocephalum megalops</i>	<i>Degeeriella fusca</i>
<i>Cuculiphilus cathartaeapapae</i>	Osprey, <i>Pandion haliaetus</i>
<i>Falcolipeurus ternatus</i>	<i>Kurodaia haliaeeti</i>
<i>Laemobothrion glutinans</i>	Small Forest Hawk, <i>Micrastur ruficollis</i>
White-tailed Kite, <i>Elanus leucurus</i>	<i>Craspedorrhynchus ultimus</i>
<i>Colpocephalum osborni</i>	<i>C. transversifrons</i>
Hook-billed Kite, <i>Chondrohierax uncinatus</i>	Caracara, <i>Caracara cheriway</i>
<i>Kurodaia keopeckeii</i>	<i>Cuculicola splendidus</i>
<i>Laemobothrion condrohieracis</i>	Guadalupe Caracara, <i>Caracara lutosus</i>
Everglade Kite, <i>Rostrhamus sociabilis</i>	<i>Degeeriella caracarensis</i>
<i>Craspedorrhynchus obscurus</i>	Gyrfalcon, <i>Falco rusticolus</i>
<i>Falcolipeurus quadriguttatus</i>	<i>Degeeriella fasciata</i>
Goshawk, <i>Accipiter gentilis</i>	Peregrine Falcon, <i>Falco peregrinus</i>
<i>Degeeriella secondaria</i>	<i>Degeeriella fusca</i>

<i>D. temporalis</i>	Greater Prairie Chicken, <i>Tympanuchus</i> <i>cupido</i>
Pigeon Hawk, <i>Falco columbarius</i>	<i>Goniodes</i> <i>cupido</i>
<i>Degeeriella temporalis</i>	Sharp-tailed Grouse, <i>Pedioecetes phasian-</i> <i>ellus</i>
Kestrel, <i>Falco tinnunculus</i>	<i>Goniodes nebraskensis</i>
<i>Degeeriella rufa</i>	<i>Lagopoecus perplexus</i>
<i>Laemobothrion tinnunculi</i>	Sage Grouse, <i>Centrocercus urophasianus</i>
<i>Rediella pediculoides</i>	<i>Goniodes centrocerci</i>
Sparrow Hawk, <i>Falco sparverius</i>	<i>Lagopoecus gibsoni</i>
<i>Degeeriella carruthi</i>	Bobwhite, <i>Colinus virginianus</i>
<i>D. castanea</i>	<i>Cucloptogaster maculipes</i>
<i>D. giebeli</i>	<i>Goniodes ortygis</i>
<i>D. secondaria</i>	<i>Lagopoecus numidianus</i>
<i>Laemobothrion intermedium</i>	<i>Lipeurus dovei</i>
<i>L. loomisi</i>	<i>Oxylipeurus clavatus</i>
Curassow, <i>Crax rubra</i>	<i>O. cubanus</i>
<i>Oxylipeurus globicerus</i>	Black-throated Quail, <i>Colinus nigrogularis</i>
<i>Amyrsidea rubra</i>	<i>Oxylipeurus yucatensis</i>
Crested Guan, <i>Penelope purpurascens</i>	Scaled Quail, <i>Callipepla squamata</i>
<i>Amyrsidea purpurascens</i>	<i>Goniodes squamatus</i>
<i>Oxylipeurus penelope</i>	<i>Lagopoecus pallidus</i>
Chachalaca, <i>Ortalis vetula</i>	<i>Oxylipeurus callipeplus</i>
<i>Amyrsidea spicula</i>	California Quail, <i>Lophortyx californicus</i>
<i>Oxylipeurus vetulae</i>	<i>Goniodes mammilatus</i>
Dusky-headed Chachalaca, <i>Ortalis garrula</i>	<i>G. ovoidalis</i>
<i>Menacanthus ortalidis</i>	<i>Lagopoecus docophoroids</i>
<i>Oxylipeurus costaricensis</i>	Gambel's Quail, <i>Lophortyx gambelii</i>
<i>O. postmarginatus</i>	<i>Lagopoecus gambeli</i>
Black Chachalaca, <i>Penelopina nigra</i>	Mountain Quail, <i>Oreortyx pictus</i>
<i>Chelopistes rotundus</i>	<i>Goniodes pictus</i>
Horned Guan, <i>Oreophasis derbianus</i>	<i>Lagopoecus californicus</i>
<i>Colpocephalum hoffmanni</i>	Harlequin Quail, <i>Cyrtonyx montezumae</i>
Blue Grouse, <i>Dendragapus obscurus</i>	<i>Goniodes submammillatus</i>
<i>Goniodes simoni</i>	<i>Lagopoecus mearnsi</i>
<i>G. merriamanus</i>	<i>Oxylipeurus montezumae</i>
<i>Lagopoecus obscurus</i>	Ring-necked Pheasant, <i>Phasianus colchicus</i>
Spruce Grouse, <i>Canachites canadensis</i>	<i>Amyrsidea megalosoma</i>
<i>Goniodes corpulentus</i>	<i>Cucloptogaster heterographus</i>
Ruffed Grouse, <i>Bonasa umbellus</i>	<i>Goniocotes chrysocephalus</i>
<i>Goniodes bonasus</i>	<i>Goniodes capitatus</i>
<i>Lagopoecus umbellus</i>	<i>G. colchici</i>
Willow Ptarmigan, <i>Lagopus lagopus</i>	<i>Lagopoecus colchicus</i>
<i>Goniodes lagopi</i>	<i>Lipeurus maculosus</i>
<i>Amyrsidea lagopi</i>	<i>Oxylipeurus colchicus</i>
<i>A. striata</i>	Gray Partridge, <i>Perdix perdix</i>
<i>Lagopoecus affinis</i>	<i>Amyrsidea megalosoma</i>
Rock Ptarmigan, <i>Lagopus mutus</i>	<i>A. perdicis</i>
<i>Lagopoecus affinis</i>	<i>Cucloptogaster heterogrammicus</i>
White-tailed Ptarmigan, <i>Lagopus leucurus</i>	
<i>Goniodes leucurus</i>	

<i>Goniocotes microthorax</i>	Ocellated Turkey, <i>Agriocharis ocellata</i>
<i>G. simillimus</i>	<i>Oxylipeurus agriocharis</i>
<i>Goniodes dispar</i>	Whooping Crane, <i>Grus americana</i>
<i>Menopon pallens</i>	<i>Heleonomus assimilis</i>
Black-eared Wood-quail, <i>Odontophorus erythropus</i>	Sandhill Crane, <i>Grus canadensis</i>
<i>Chelopistes elongatus</i>	<i>Gruimenopom canadense</i>
<i>C. heterurus</i>	<i>Esthiopterum brevicephalus</i>
<i>Oxylipeurus melanotus</i>	Limpkin, <i>Aramus guarauna</i>
Marbled Wood-quail, <i>Odontophorus gujanensis</i>	<i>Ibidoecus scolopaceus</i>
<i>Oxylipeurus repandus</i>	<i>Laemobothrion cubense</i>
Spotted Wood-quail, <i>Odontophorus guttatus</i>	Clapper Rail, <i>Rallus longirostris</i>
<i>Oxylipeurus guttatus</i>	<i>Rallicola californicus</i>
White-throated Wood-quail, <i>Odontophorus leucolaemus</i>	Virginia Rail, <i>Rallus limicola</i>
<i>Menacanthus meridionalis</i>	<i>Fulicoffula cumstocki</i>
Long-tailed Partridge, <i>Dendrortyx macroura</i>	<i>Incidifrons monachus</i>
<i>Chelopistes simillis</i>	<i>Rallicola californicus</i>
Highland Partridge, <i>Dendrortyx leucophrys</i>	Water Rail, <i>Rallus aquaticus</i>
<i>Chelopistes dendrortyx</i>	<i>Fulicoffula rallina</i>
Peacock, <i>Pavo cristatus</i>	<i>Incidifrons ralli</i>
<i>Amyrsidea phaeostoma</i>	<i>Pseudomenopon scopulacorne</i>
<i>Goniocotes pariceps</i>	<i>Rallicola cuspidatus</i>
<i>G. rectangulatus</i>	Spotted Crake, <i>Porzana porzana</i>
<i>Goniodes meinertzhageni</i>	<i>Rallicola mystax</i>
<i>G. pavonis</i>	Yellow Rail, <i>Coturnicops noveboracensis</i>
<i>Lipeurus pavo</i>	<i>Rallicola porzanae</i>
Hen, <i>Gallus domesticus</i>	Wood Rail, <i>Aramides cajanea</i>
<i>Cuclotogaster heterogaphus</i>	<i>Fulicoffula volsella</i>
<i>Goniocotes gallinæ</i>	<i>Rallicola ewingi</i>
<i>Goniodes assimilis</i>	Mexican Crake, <i>Laterallus albicularis</i>
<i>G. gigas</i>	<i>Fulicoffula obstinata</i>
<i>Lipeurus caponis</i>	<i>Pseudomenopon costaricense</i>
<i>Menacanthus stramineus</i>	Corn Crake, <i>Crex crex</i>
<i>Menopon gallinæ</i>	<i>Rallicola ortygometrae</i>
<i>M. pallens</i>	Purple Gallinule, <i>Porphyrrula martinica</i>
Guinea Hen, <i>Numida meleagris</i>	<i>Rallicola elliotti</i>
<i>Goniocotes gallinæ</i>	Common Gallinule, <i>Gallinula chloropus</i>
<i>Goniodes gigas</i>	<i>Fulicoffula gallinula</i>
<i>G. numidae</i>	<i>Incidifrons gallinula</i>
<i>Lipeurus numidae</i>	<i>Laemobothrion chloropodis</i>
<i>Menacanthus numidae</i>	European Coot, <i>Fulica atra</i>
<i>Menopon gallinæ</i>	<i>Fulicoffula lurida</i>
Turkey, <i>Meleagris gallopavo</i>	<i>Incidifrons fulicae</i>
<i>Chelopistes meleagridis</i>	<i>Laemobothrion atrum</i>
<i>Menacanthus stramineus</i>	<i>Pseudomenopon pilosum</i>
<i>Oxylipeurus cornpelutus</i>	<i>Rallicola fulicae</i>
<i>O. polytrapezius</i>	American Coot, <i>Fulica americana</i>
	<i>Fulicoffula longipila</i>
	<i>Incidifrons transpositus</i>
	<i>Pseudomenopon pacificum</i>

<i>Rallicola fulicae</i>	<i>Rhynonirmus infuscatus</i>
Sun Grebe, <i>Heliornis fulica</i>	European Woodcock, <i>Scolopax rusticola</i>
<i>Fulicoffula heliornis</i>	<i>Austromenopon icterum</i>
Jacana, <i>Jacana spinosa</i>	<i>Cummingsiella aurea</i>
<i>Rallicola exiguifrons</i>	<i>Rhynonirmus helvolus</i>
European Oystercatcher, <i>Haematopus ostralegus</i>	Common Snipe, <i>Capella gallinago</i>
<i>Actornithophilus grandiceps</i>	<i>Austromenopon durisetosum</i>
<i>Austromenopon haemantopi</i>	<i>Cummingsiella ambigua</i>
<i>Saemundssonia haemantopi</i>	<i>Rhynonirmus scolopacis</i>
American Oystercatcher, <i>Haematopus palliatus</i>	<i>Actornithophilus stictus</i>
<i>Lunaceps haemantopi</i>	<i>Rhynonirmus magnocephalus</i>
<i>Quadraceps auratus</i>	European Jacksnipe, <i>Lymnocryptes minimus</i>
Lapwing, <i>Vanellus vanellus</i>	<i>Actornithophilus multisetosus</i>
<i>Actornithophilus svobodae</i>	Long-billed Curlew, <i>Numenius americanus</i>
<i>Lunaceps holophaeus</i>	<i>Cummingsiella longirostricola</i>
<i>Saemundssonia temporalis</i>	<i>C. ovalis</i>
Ringed Plover, <i>Charadrius hiaticula</i>	Eurasian Curlew, <i>Numenius arquata</i>
<i>Quadraceps fissus</i>	<i>Actornithophilus patellatus</i>
<i>Quadraceps hiaticulae</i>	<i>Austromenopon crocatum</i>
<i>Saemundssonia platygaster</i>	<i>Cummingsiella ovalis</i>
Semipalmated Plover, <i>Charadrius semipalmatus</i>	<i>Lunaceps numenii</i>
<i>Quadraceps major</i>	<i>Saemundssonia humeralis</i>
<i>Q. opacus</i>	<i>S. viridicola</i>
<i>Saemundssonia platygaster</i>	Whimbrel, <i>Numenius phaeopus</i>
Killdeer, <i>Charadrius vociferus</i>	<i>Actornithophilus ocellatus</i>
<i>Austromenopon aegialitidis</i>	<i>Austromenopon phaeopodus</i>
<i>Quadraceps boophilus</i>	<i>Lunaceps phaeopi</i>
Dotterel, <i>Eudromias morinellus</i>	<i>Saemundssonia scolopacisphaeopodus</i>
<i>Saemundssonia semivittata</i>	<i>S. viridicola</i>
American Golden Plover, <i>Pluvialis dominica</i>	Bristle-thighed Curlew, <i>Numenius tahitensis</i>
<i>Actornithophilus timidus</i>	<i>Lunaceps hopkinsi</i>
<i>Quadraceps orarius</i>	Eskimo Curlew, <i>Numenius borealis</i>
<i>Saemundssonia hawaiiensis</i>	<i>Lunaceps rileyi</i>
Black-bellied Plover, <i>Squatarola squatarola</i>	Upland Plover, <i>Bartramia longicauda</i>
<i>Actornithophilus flavipes</i>	<i>Rhynonirmus infuscatus</i>
<i>Austromenopon squatarolae</i>	Spotted Sandpiper, <i>Actitis macularia</i>
<i>Lunaceps incoenis</i>	<i>Quadraceps rarus</i>
<i>Quadraceps hospes</i>	Solitary Sandpiper, <i>Tringa solitaria</i>
<i>Saemundssonia naumannii</i>	<i>Quadraceps waterstoni</i>
Ruddy Turnstone, <i>Arenaria interpres</i>	Wood Sandpiper, <i>Tringa glareola</i>
<i>Rediellia pediculoides</i>	<i>Quadraceps obscurus</i>
<i>Actornithophilus bicolor</i>	Wandering Tattler, <i>Heteroscelus incanum</i>
<i>Quadraceps strepsilaris</i>	<i>Actornithophilus kilauensis</i>
Black Turnstone, <i>Arenaria melanocephala</i>	<i>Saemundssonia hawaiiensis</i>
<i>Actornithophilus tigrus</i>	Polynesian Tattler, <i>Heteroscelus brevipes</i>
American Woodcock, <i>Philohela minor</i>	<i>Quadraceps impar</i>
	Willet, <i>Catoptrophorus semipalmatus</i>

<i>Austromenopon sachtlebeni</i>	<i>Saemundssonia tompsoni</i>
<i>Quadraceps carrikeri</i>	<i>Ruff, Philomachus pugnax</i>
Greater Yellowlegs, <i>Totanus melanoleucus</i>	<i>Actornithophilus pustulosus</i>
<i>Quadraceps austini</i>	<i>Austromenopon lutescens</i>
Lesser Yellowlegs, <i>Totanus flavipes</i>	<i>Carduiceps fulvofasciatus</i>
<i>Quadraceps falcigerus</i>	<i>Lunaceps holophaeus</i>
Knot, <i>Calidris canutus</i>	<i>Sanderling, Crocethia alba</i>
<i>Lunaceps drosti</i>	<i>Actornithophilus albus</i>
<i>Saemundssonia canuti</i>	<i>Carduiceps complexivus</i>
<i>S. islandica</i>	<i>Lunaceps actophilus</i>
Purple Sandpiper, <i>Erolia maritima</i>	American Avocet, <i>Recurvirostra americana</i>
<i>Lunaceps nereis</i>	<i>Actornithophilus uniformis</i>
Pectoral Sandpiper, <i>Erolia melanotos</i>	<i>Austromenopon indistinctum</i>
<i>Actornithophilus morsitans</i>	<i>Cirrophthirius recurvirostrae</i>
Least Sandpiper, <i>Erolia minutilla</i>	<i>C. testudinarius</i>
<i>Actornithophilus morsitans</i>	<i>Cummingsiella inexpectata</i>
<i>A. trilobatus</i>	<i>Quadraceps zephyra</i>
<i>Carduiceps zonarius</i>	Black-necked Stilt, <i>Himantopus mexicanus</i>
<i>Saemundssonia fusiformis</i>	<i>Actornithophilus mexicanus</i>
Dunlin, <i>Erolia alpina</i>	<i>Quadraceps mexicanus</i>
<i>Austromenopon alpinum</i>	Red Phalarope, <i>Phalaropus fulicarius</i>
<i>Carduiceps meinertzhageni</i>	<i>Austromenopon corporosum</i>
<i>C. zonarius</i>	<i>Quadraceps phalaropi</i>
Short-billed Dowitcher, <i>Limnodromus</i> <i>griseus</i>	Wilson's Phalarope, <i>Steganopus tricolor</i>
<i>Actornithophilus albus</i>	<i>Quadraceps fimbriatus</i>
Long-billed Dowitcher, <i>Limnodromus scolo-</i> <i>paceus</i>	Northern Phalarope, <i>Lobipes lobatus</i>
<i>Quadraceps klatti</i>	<i>Carduiceps subscalaris</i>
Semipalmated Sandpiper, <i>Ereunetes pusillus</i>	<i>Quadraceps connexus</i>
<i>Actornithophilus hirsutus</i>	Mexican Thick-knee, <i>Burhinus bistriatus</i>
Western Sandpiper, <i>Ereunetes mauri</i>	<i>Quadraceps acuticeps</i>
<i>Lunaceps cabanisi</i>	Pomarine Jaeger, <i>Stercorarius pomarinus</i>
Marbled Godwit, <i>Limosa fedoa</i>	<i>Actornithophilus brachycephalus</i>
<i>Carduiceps clayae</i>	<i>Austromenopon circinatum</i>
<i>Lunaceps clayae</i>	<i>A. fuscofasciatum</i>
<i>L. lucidus</i>	<i>Perineus grandis</i>
<i>Rotundiceps cordatus</i>	<i>Perineus laculatus</i>
Bar-tailed Godwit, <i>Limosa lapponica</i>	<i>Quadraceps stellapolaris</i>
<i>Austromenopon meyeri</i>	Parasitic Jaeger, <i>Stercorarius parasiticus</i>
<i>Carduiceps clayae</i>	<i>Quadraceps normifer</i>
<i>Saemundssonia limosae</i>	<i>Saemundssonia cephalus</i>
Hudsonian Godwit, <i>Limosa haemastica</i>	Long-tailed Jaeger, <i>Stercorarius longicaudus</i>
<i>Lunaceps paschalis</i>	<i>Quadraceps parvapallidus</i>
<i>Rotundaceps cordatus</i>	Skua, <i>Catharacta skua</i>
Black-tailed Godwit, <i>Limosa limosa</i>	<i>Perineus piratae</i>
<i>Actornithophilus spimulosus</i>	<i>Saemundssonia stresemanni</i>
<i>Austromenopon limosae</i>	Glaucous Gull, <i>Larus hyperboreus</i>
<i>Carduiceps cingulatus</i>	<i>Quadraceps striolatus</i>
	<i>Saemundssonia lari</i>
	Glaucous-winged Gull, <i>Larus glaucescens</i>

- Actornithophilus funebris*
Austromenopon infrequens
 Great Black-backed Gull, *Larus marinus*
Saemundssonia gonocephala
Actornithophilus lari
 Herring Gull, *Larus argentatus*
Quadraceps ornatus
 Ring-billed Gull, *Larus delawarensis*
Quadraceps subtingulatus
 Mew Gull, *Larus canus*
Quadraceps ornatus
Saemundssonia congener
 Black-headed Gull, *Larus ridibundus*
Austromenopon ridibundus
Quadraceps punctatus
 Laughing Gull, *Larus atricilla*
Saemundssonia gonocephala
 Bonaparte's Gull, *Larus philadelphicus*
Actornithophilus funebris
 Heermann's Gull, *Larus heermanni*
Quadraceps felix
Saemundssonia meinertzhageni
 Ivory Gull, *Pagophila eburnea*
Saemundssonia pagophilae
 Black-legged Kittiwake, *Rissa tridactyla*
Austromenopon transversum
Quadraceps lineolatus
Q. paulschulzei
Saemundssonia tridactylae
 Ross' Gull, *Rhodostethia rosea*
Quadraceps bryki
 Sabine's Gull, *Xema sabini*
Quadraceps lineatus
 Forster's Tern, *Sterna forsteri*
Saemundssonia parvigenetalis
 Common Tern, *Sterna hirundo*
Austromenopon pachypus
Quadraceps sellatus
Saemundssonia sternae
 Arctic Tern, *Sterna paradisaea*
Quadraceps hauri
 Roseate Tern, *Sterna dougallii*
Quadraceps giebelii
 Sooty Tern, *Sterna fuscata*
Quadraceps birostris
Q. lepidus
Q. obtusus
Saemundssonia peristicta
S. petersi
- Bridled Tern, *Sterna anaethetus*
Saemundssonia meridiana
 Royal Tern, *Thalasseus maximus*
Quadraceps praestans
 Sandwich Tern, *Thalasseus sandvicensis*
Actornithophilus piecus
Saemundssonia laticaudata
 Caspian Tern, *Hydroprogne caspia*
Quadraceps caspius
Q. griseus
 Black Tern, *Chlidonias niger*
Actornithophilus maurus
 Noddy Tern, *Anous stolidus*
Actornithophilus epiphanes
A. milleri
Clypedon incisus
Saemundssonia remota
 Razorbill, *Alca torda*
Austromenopon nigropleurum
Quadraceps alcae
Saemundssonia celidoxa
 Common Murre, *Uria aalge*
Austromenopon uriae
Quadraceps obliquus
Saemundssonia calva
 Dovekie, *Plautus alle*
Austromenopon merguli
Quadraceps klatti
Saemundssonia merguli
 Black Guillemot, *Cephus grylle*
Saemundssonia grylle
 Pigeon Guillemot, *Cephus columba*
Quadraceps pacificus
Saemundssonia procax
 Marbled Murrelet, *Brachyramphus marmoratus*
Saemundssonia montereyi
 Ancient Murrelet, *Synthliboramphus antiquum*
Quadraceps maritimus
Saemundssonia montereyi
 Cassin's Auklet, *Ptychoramphus aleutica*
Quadraceps maritimus
Saemundssonia isolata
S. montereyi
 Crested Auklet, *Aethia cristatella*
Saemundssonia wumisuzume
 Least Auklet, *Aethia pusilla*
Quadraceps aethereus

Rhinoceros Auklet, <i>Cerorhinca monocerata</i>	<i>Vernoniella macgregori</i>
<i>Quadraceps maritimus</i>	Barn Owl, <i>Tyto alba</i>
<i>Saemundssonia acutipecta</i>	<i>Kurodaia subpachygaster</i>
Common Puffin, <i>Fratercula arctica</i>	Screech Owl, <i>Otus asio</i>
<i>Austromenopon fraterculae</i>	<i>Kurodaia painei</i>
<i>Saemundssonia fraterculae</i>	<i>Strigiphilus ceblebrachys</i>
Tufted Puffin, <i>Lunda cirrhata</i>	Great Horned Owl, <i>Bubo virginianus</i>
<i>Actornithophilus perplanus</i>	<i>Strigiphilus oculatus</i>
<i>Quadraceps pacificus</i>	Snowy Owl, <i>Nyctea scandiaca</i>
Rock Dove, <i>Columba livia</i>	<i>Kurodaia menoponoides</i>
<i>Campanulotes compar</i>	<i>Strigiphilus ceblebrachys</i>
<i>Coloceras fahrenholzi</i>	<i>S. barbatus</i>
<i>C. piageti</i>	Burrowing Owl, <i>Speotyto cunicularia</i>
<i>Colpocephalum turbinatum</i>	<i>Kurodaia pectinata</i>
<i>Columbicola columbae</i>	<i>Strigiphilus speotyti</i>
<i>Horostienda lata</i>	Great Gray Owl, <i>Strix nebulosa</i>
Mourning Dove, <i>Zenaidura macroura</i>	<i>Strigiphilus remotus</i>
<i>Columbicola baculoides</i>	<i>S. syrnii</i>
<i>C. macrourae</i>	Long-eared Owl, <i>Asio otus</i>
<i>Physconelloides zenaidurae</i>	<i>Strigiphilus cursor</i>
Passenger Pigeon, <i>Ectopistes migratorius</i>	<i>S. barbatus</i>
<i>Columbicola extinctus</i>	Short-eared Owl, <i>Asio flammeus</i>
Ground Dove, <i>Columbigallina passerina</i>	<i>Strigiphilus cursor</i>
<i>Columbicola passerinae</i>	<i>S. nudipes</i>
Mexican Parrotlet, <i>Forpus cyanopygius</i>	Squamulated Owl, <i>Ciccaba virgata</i>
<i>Paragoniocotes illustris</i>	<i>Strigiphilus viridicus</i>
<i>Psiittacobrosus forpi</i>	Common Nighthawk, <i>Chordeiles minor</i>
Red-and-Green Macaw, <i>Ara chloroptera</i>	<i>Mulcticola macrocephalus</i>
<i>Heteromenopon sincipitalis</i>	Chimney Swift, <i>Chaetura pelagica</i>
<i>Paragoniocotes mirabilis</i>	<i>Dennynus dubius</i>
<i>Psiittacomeronopon acuticeps</i>	<i>Eureum ewingi</i>
Scarlet Macaw, <i>Ara macao</i>	Vaux's Swift, <i>Chaetura vauxi</i>
<i>Neopsittaiconirmus trinoton</i>	<i>Dennynus richmondi</i>
<i>Paragoniocotes nanus</i>	Chestnut-collared Swift, <i>Chaetura rutila</i>
Green Macaw, <i>Ara militaris</i>	<i>Dennynus brunneitorques</i>
<i>Epiara dimorpha</i>	Spiny-tailed Swift, <i>Chaetura spinicauda</i>
Yellow-billed Cuckoo, <i>Coccyzus americanus</i>	<i>Dennynus limbus</i>
<i>Cuculoecus coccygii</i>	White-throated Swift, <i>Aëronautes saxatalis</i>
<i>C. latifrons</i>	<i>Dennynus brunneri</i>
<i>Cuculiphilus decoratus</i>	Smoky Swift, <i>Cypseloides fumigatus</i>
Black-billed Cuckoo, <i>Coccyzus erythrophthalmus</i>	<i>Dennynus spininotus</i>
<i>Cuculiphilus fasciatus</i>	Black Swift, <i>Cypseloides niger</i>
Squirrel Cuckoo, <i>Piaya cayana</i>	<i>Dennynus spiniger</i>
<i>Cuculicola atopus</i>	Ruby-throated Hummingbird, <i>Archilochus colubris</i>
Smooth-billed Ani, <i>Crotophaga ani</i>	<i>Ricinus lineatus</i>
<i>Osborniella crotophagae</i>	Costa's Hummingbird, <i>Calypte costae</i>
<i>Vernoniella guimaraesi</i>	<i>Trochiloeetes prominens</i>
Groove-billed Ani, <i>Crotophaga sulcirostris</i>	Anna's Hummingbird, <i>Calypte anna</i>

- Bruelia eustigma*
 Rufous Hummingbird, *Selasphorus rufus*
Picicola snodgrassi
Trochiloeutes ochoterenal
 Lesser Broad-tailed Hummingbird, *Selasphorus flammula*
Ricinus doratophorum
 Rieffer's Hummingbird, *Amazilia tzacatl*
Ricinus jiminezi
 Coppery-tailed Tropicbird, *Trogon elegans*
Trogonirmus eleganus
 Large-tailed Tropicbird, *Trogon melanurus*
Trogonirmus melanurus
 Violaceous Tropicbird, *Trogon violaceus*
Trogonirmus hastiformis
T. laticephalus
 Belted Kingfisher, *Megacyrle alcyon*
Actornithophilus subpustulatus
 Rufous-crowned Motmot, *Momotus mexicanus*
Philopterus dennyi
 Blue-crowned Motmot, *Momotus momota*
Bruelia marginella
 Emerald Toucanet, *Aulacorhynchus prasinus*
Austrophilopterus minutus
 Collared Aracari, *Pteroglossus torquatus*
Austrophilopterus torquatus
 Keel-billed Toucan, *Ramphastos sulfuratus*
Austrophilopterus subsimilis
 Yellow-shafted Flicker, *Colaptes auratus*
Philopterus alienus
Picicola mississippiensis
Menacanthus colaptis
Penenirmus jugens
 Pileated Woodpecker, *Dryocopus pileatus*
Picicola marginatalis
 Gray-breasted Woodpecker, *Centurus hypoleucus*
Menacanthus praecursor
 Acorn Woodpecker, *Melanerpes formicivorus*
Penenirmus californiensis
 Yellow-bellied Sapsucker, *Sphyrapicus varius*
Penenirmus californicus
P. varius
 Hairy Woodpecker, *Dendrocopos villosus*
Penenirmus californiensis
- Downy Woodpecker, *Dendrocopos pubescens*
Menopon hirsutum
Myrsidea funerea
Penenirmus evagens
 Nuttall's Woodpecker, *Dendrocopos nuttallii*
Philopterus singularis
 Black-backed Three-toed Woodpecker,
Picoïdes arcticus
Menacanthus picicola
 Northern Three-toed Woodpecker, *Picoïdes tridactylus*
Menacanthus picicola
 Barred Antshrike, *Thamnophilus doliatus*
Machaerilaemus laticorpus
 Masked Tityra, *Tityra semifasciata*
Machaerilaemus tityrus
 White-collared Manakin, *Manacus candei*
Philopterus bruneri
 Eastern Kingbird, *Tyrannus tyrannus*
Penenirmus tyrannus
Ricinus angulatus
 Western Kingbird, *Tyrannus verticalis*
Picicola foedus
 Cassin's Kingbird, *Tyrannus vociferans*
Ricinus arcuatus
 Ash-throated Flycatcher, *Myiarchus cinerascens*
Menacanthus distinctus
Philopterus rufus
Picicola foedus
 Say's Phoebe, *Sayornis saya*
Picicola foedus
 Costa Rican Flycatcher, *Empidonax atriceps*
Myrsidea stenodesma
 Western Flycatcher, *Empidonax difficilis*
Ricinus sucinaceus
Bruelia ductilis
 Eastern Wood Pewee, *Contopus virens*
Philopterus fuscoventralis
 Vermilion Flycatcher, *Pyrocephalus rubinus*
Philopterus insulicola
 Skylark, *Alauda arvensis*
Menacanthus alaudae
 Horned Lark, *Eremophila alpestris*
Ricinus serratus
 Tree Swallow, *Iridoprocne bicolor*
Bruelia longa
Philopterus major

- Bank Swallow, *Riparia riparia*
Bruelia tenuis
Myrsidea latifrons
Rough-winged Swallow, *Stelgidopteryx ruficollis*
Myrsidea pallorus
Barn Swallow, *Hirundo rustica*
Bruelia domestica
Machaerilaemus malleus
Myrsidea rustica
M. straminea
Purple Martin, *Progne subis*
Bruelia brevipes
Machaerilaemus americanus
Myrsidea dissimilis
Philopterus domesticus
Gray-breasted Martin, *Progne chalybea*
Dennysus similis
Blue Jay, *Cyanocitta cristata*
Philopterus cristata
White-tipped Brown Jay, *Psilorhinus mexicanus*
Philopterus underwoodi
Scrub Jay, *Aphelocoma coerulescens*
Menacanthus persignatus
Black-billed Magpie, *Pica pica*
Bruelia biocellata
Philopterus picae
Common Raven, *Corvus corax*
Bruelia argula
Menacanthus gonophaeus
Philopterus corvi
Common Crow, *Corvus brachyrhynchos*
Bruelia rotundata
Myrsidea interrupta
Philopterus corvi
Rook, *Corvus frugilegus*
Menacanthus laticeps
Philopterus atratus
Hooded Crow, *Corvus cornix*
Bruelia uncinosa
Piñon Jay, *Gymnorhinus cyanocephala*
Philopterus phillipi
Clark's Nutcracker, *Nucifraga columbiana*
Myrsidea brunea
Black-capped Chickadee, *Parus atricapillus*
Philopterus rutteri
Carolina Chickadee, *Parus carolinensis*
Bruelia vulgata
Verdin, *Auriparus flaviceps*
Bruelia audax
Common Bushtit, *Psaltriparus minimus*
Menacanthus robustus
Brown Creeper, *Certhia familiaris*
Penenirmus trimarginis
Dipper, *Cinclus mexicanus*
Menacanthus aleskensis
Philopterus americanus
Winter Wren, *Troglodytes troglodytes*
Penenirmus albiventris
Bewick's Wren, *Thryomanes bewickii*
Philopterus mirus
Cactus Wren, *Campylorhynchus brunneicapillus*
Menacanthus distinctus
Catbird, *Dumetella carolinensis*
Piccola orpheus
Red-wing, *Turdus musicus*
Bruelia iliaci
B. inornata
Myrsidea iliaci
Blackbird, *Turdus merula*
Bruelia ansel
B. jacobi
B. merulensis
Philopterus merulae
Ricinus ernstlangi
Clay-colored Robin, *Turdus grayi*
Penenirmus caliginous
Robin, *Turdus migratorius*
Bruelia vulgaris
Ricinus merulae
Sturnidoecus simplex
Fieldfare, *Turdus pilaris*
Bruelia antimarginalis
Philopterus bischoffi
Wood Thrush, *Hylocichla mustelina*
Myrsidea incerta
Hermit Thrush, *Hylocichla guttata*
Myrsidea incerta
Swainson's Thrush, *Hylocichla ustulata*
Myrsidea incerta
Gray-cheeked Thrush, *Hylocichla minima*
Myrsidea incerta
Veery, *Hylocichla fuscescens*
Myrsidea fuscomarginata
Eastern Bluebird, *Sialia sialis*
Philopterus siali

- Golden-crowned Kinglet, *Regulus satrapa*
Ricinus frenatus
- White Wagtail, *Motacilla alba*
Menacanthus pusillus
Philopterus passerinus
Sturnidoecus aeneus
- Yellow Wagtail, *Motacilla flava*
Philopterus passerinus
- Water Pipit, *Anthus spinoletta*
Ricinus japonicus
- Meadow Pipit, *Anthus pratensis*
Brueelia cordyalla
- Bohemian Waxwing, *Bombycilla garrula*
Brueelia brachythorax
Philopterus garrulae
Ricinus bombycillae
- Cedar Waxwing, *Bombycilla cedrorum*
Brueelia cedrorum
- Phainopepla, *Phainopepla nitens*
Brueelia peninsularis
Picicola foedus
- Northern Shrike, *Lanius excubitor*
Brueelia imponderabilis
Menacanthus camelinus
- Starling, *Sturnus vulgaris*
Brueelia nebulosa
Menacanthus mutabilis
Myrsidea cucularis
Sturnidoecus sturni
- Crested Myna, *Acridotheres cristatellus*
Myrsidea invadens
- Prothonotary Warbler, *Protonotaria citrea*
Ricinus pallens
- Blue-winged Warbler, *Vermivora pinus*
Ricinus picturatus
- Orange-crowned Warbler, *Vermivora celata*
Ricinus picturatus
- Yellow Warbler, *Dendroica petechia*
Myrsidea ridulosa
- Yellow-breasted Chat, *Icteria virens*
Picicola foedus
- House Sparrow, *Passer domesticus*
Brueelia obligata
B. subtilis
B. vulgata
Menacanthus annulatus
Philopterus fringillae
- European Tree Sparrow, *Passer montanus*
Brueelia cyclothorax
- B. subtilis*
Wagler Oropendola, *Zarhynchus wagleri*
Bizarriifrons francisi
Myrsidea luoris
M. mirabilis
Bobolink, *Dolichonyx oryzivorus*
Menacanthus expansus
- Eastern Meadowlark, *Sturnella magna*
Brueelia abrupta
B. picturata
- Yellow-headed Blackbird, *Xanthocephalus xanthocephalus*
Brueelia xanthocephali
- Redwinged Blackbird, *Agelaius phoeniceus*
Brueelia ornatissima
Philopterus agelaii
- Scarlet-headed Oriole, *Icterus pustulatus*
Machaerilaemus icterus
- Boat-tailed Grackle, *Cassidix mexicanus*
Bizarriifrons meinertzhageni
- Common Grackle, *Quiscalus quiscula*
Philopterus quiscale
- Brown-headed Cowbird, *Molothrus ater*
Brueelia ornatissima
- Swainson Tanager, *Piranga bidentata*
Brueelia melanococa
- Cardinal, *Richmondena cardinalis*
Menacanthus spinosus
- Rose-breasted Grosbeak, *Pheucticus ludovicianus*
Brueelia pallidula
- Varied Bunting, *Passerina versicolor*
Ricinus australis
- Dickcissel, *Spiza americana*
Myrsidea incerta
- Brambling, *Fringilla montifringilla*
Brueelia cyclothorax
- Evening Grosbeak, *Hesperiphona vespertina*
Brueelia pallidula
- Purple Finch, *Carpodacus purpureus*
Brueelia vulgata
- House Finch, *Carpodacus mexicanus*
Brueelia vulgata
Myrsidea conspicua
- Pine Grosbeak, *Pinicola enucleator*
Menacanthus alaskensis
- Chestnut-capped Atlapetes, *Atlapetes brunnei-nucha*
Menacanthus difficilis

European Goldfinch, <i>Carduelis carduelis</i>	Oregon Junco, <i>Junco oreganus</i>
<i>Brueelia densilimba</i>	<i>Penenirmus mirinotatus</i>
<i>Menacanthus carduelis</i>	<i>Ricinus hastatus</i>
American Goldfinch, <i>Spinus tristis</i>	<i>R. pallidus</i>
<i>Myrsidea incerta</i>	Tree Sparrow, <i>Spizella arborea</i>
Red Crossbill, <i>Loxia curvirostra</i>	<i>Brueelia vulgata</i>
<i>Brueelia limbata</i>	Field Sparrow, <i>Spizella pusilla</i>
<i>Myrsidea quadrimaculata</i>	<i>Machaerilaemus complexus</i>
<i>Philopterus curvirostrae</i>	White-crowned Sparrow, <i>Zonotrichia leucophrys</i>
Rufous-sided Towhee, <i>Pipilo erythrrophthalmus</i>	<i>Brueelia vulgata</i>
<i>Brueelia vulgata</i>	Golden-crowned Sparrow, <i>Zonotrichia atricapilla</i>
<i>Myrsidea melanorum</i>	<i>Brueelia vulgata</i>
<i>Ricinus subhastatus</i>	Fox Sparrow, <i>Passerella iliaca</i>
Brown Towhee, <i>Pipilo fuscus</i>	<i>Ricinus angulatus</i>
<i>Brueelia vulgata</i>	Song Sparrow, <i>Melospiza melodia</i>
Savannah Sparrow, <i>Passerculus sandwichensis</i>	<i>Ricinus melospizae</i>
<i>Ricinus diffusus</i>	<i>Machaerilaemus maestus</i>
Lark Sparrow, <i>Chondestes grammacus</i>	<i>M. melospizae</i>
<i>Brueelia augustifrons</i>	<i>Menacanthus chrysophaeus</i>
Sage Sparrow, <i>Amphispiza belli</i>	Lapland Longspur, <i>Calcarius lapponicus</i>
<i>Brueelia lautiuscula</i>	<i>Brueelia infrequens</i>
White-winged Junco, <i>Junco aikenii</i>	<i>Menacanthus meniscus</i>
<i>Ricinus hastatus</i>	Snow Bunting, <i>Plectrophenax nivalis</i>
<i>R. pallidus</i>	<i>Brueelia nivalis</i>
Slate-colored Junco, <i>Junco hyemalis</i>	<i>Myrsidea major</i>
<i>Brueelia vulgata</i>	<i>Philopterus hamatus</i>
<i>Ricinus pallidus</i>	<i>Ricinus angulatus</i>

DEPARTMENT OF BIOLOGY, CENTRAL MICHIGAN UNIVERSITY, MT. PLEASANT,
MICHIGAN, OCTOBER 3, 1959